


	Exposed patients	Controls
Inclusion criteria	<p>Hospitalisation</p> <ul style="list-style-type: none"> <li>- during 2016 and 2017</li> <li>- day hospital stay</li> <li>- at Montpellier University Hospital</li> <li>- with principal or related ICD-10 diagnosis : M05-, M06-, M07-, M45-, L40.5.</li> <li>- with TSA echo-doppler codes : EBQM001, EBQM900</li> </ul>	Not included in the experimental group
	<ul style="list-style-type: none"> <li>- age 18 years and more</li> <li>- long-term disease (with ICD-10 diagnosis : M05-, M06-, M07-, M45-, L40.5.)</li> <li>- living in the south of France (departments 24, 33, 40, 47, 64, 04, 05, 06, 13, 83, 84, 09,11, 12, 30, 31, 32, 34, 46, 48, 65, 66, 81)</li> </ul>	
Exclusion criteria	<ul style="list-style-type: none"> <li>- previous history of myocardial infarction (ICD-10 : I21-I22-) in the 5 years before inclusion</li> <li>- use of anti-platelet drugs during the 5 years prior to inclusion (ATC code : B01AC)</li> </ul>	

**Supplementary Table 1. Inclusion and exclusion criteria for exposed patients and controls**



**Supplementary Figure 1. Comparison before (all observations) and after use of propensity score (matched observations).**