

Additional References

- 74 Arora G, Singh G, Vadhavkar S, et al. Incidence and risk of intestinal and extra-intestinal complications in Medicaid patients with inflammatory bowel disease: a 5-year population-based study. *Dig Dis Sci* 2010;55:1689–95.10.1007/s10620-010-1236-zhttp://www.ncbi.nlm.nih.gov/pubmed/20428948
- 75 Atay K, Eyvazov H, Bozcan S, et al. The effect of concomitant ankylosing spondylitis on long-term outcome of patients with inflammatory bowel disease. *Turk J Gastroenterol* 2019;30:599–604.10.5152/tjg.2019.17291http://www.ncbi.nlm.nih.gov/pubmed/31290746
- 76 Bae JM, Choo JY, Kim KJK-J, et al. Association of inflammatory bowel disease with ankylosing spondylitis and rheumatoid arthritis: A nationwide population-based study. *Mod Rheumatol* 2017;27:435–40.10.1080/14397595.2016.1211229http://www.ncbi.nlm.nih.gov/pubmed/27459267
- 77 Bernstein CN, Blanchard JF, Rawsthorne P, et al. The prevalence of extraintestinal diseases in inflammatory bowel disease: a population-based study. *Am J Gastroenterol* 2001;96:1116–22.10.1111/j.1572-0241.2001.03756.xhttp://www.ncbi.nlm.nih.gov/pubmed/11316157
- 78 Bruining DH, Siddiki HA, Fletcher JG, et al. Prevalence of penetrating disease and extraintestinal manifestations of Crohn's disease detected with CT enterography. *Inflamm Bowel Dis* 2008;14:1701–6.10.1002/ibd.20529http://www.ncbi.nlm.nih.gov/pubmed/18623171
- 79 Card TR, Langan SM, Chu TPC. Extra-Gastrointestinal manifestations of inflammatory bowel disease may be less common than previously reported. *Dig Dis Sci* 2016;61:2619–26.10.1007/s10620-016-4195-1http://www.ncbi.nlm.nih.gov/pubmed/27193564
- 80 De Kock I, Hindryckx P, De Vos M, et al. Prevalence of CT features of axial spondyloarthritis in patients with Crohn's disease. *Acta Radiol* 2017;58:593–9.10.1177/0284185116663043http://www.ncbi.nlm.nih.gov/pubmed/27552978
- 81 Dorofeyev AE, Vasilenko IV ROAIV, Rassokhina OA. Joint extraintestinal manifestations in ulcerative colitis. *Dig Dis* 2009;27:502–10.10.1159/000233289http://www.ncbi.nlm.nih.gov/pubmed/19897966
- 82 Hwangbo Y, Kim HJ, Park JS, et al. Sacroiliitis is common in Crohn's disease patients with perianal or upper gastrointestinal involvement. *Gut Liver* 2010;4:338–44.10.5009/gnl.2010.4.3.338http://www.ncbi.nlm.nih.gov/pubmed/20981210

- 83 Kelly OB, Li N, Smith M, et al. The prevalence and clinical associations of subclinical sacroiliitis in inflammatory bowel disease. *Inflamm Bowel Dis* 2019;25:1066–71.10.1093/ibd/izy339<http://www.ncbi.nlm.nih.gov/pubmed/30428061>
- 84 Leclerc-Jacob S, Lux G, Rat AC, et al. The prevalence of inflammatory sacroiliitis assessed on magnetic resonance imaging of inflammatory bowel disease: a retrospective study performed on 186 patients. *Aliment Pharmacol Ther* 2014;39:957–62.10.1111/apt.12680<http://www.ncbi.nlm.nih.gov/pubmed/24593050>
- 85 Liu S, Ding J, Wang M, et al. Clinical features of Crohn disease concomitant with ankylosing spondylitis: A preliminary single-center study. *Medicine (Baltimore)* 2016;95:e4267.10.1097/MD.0000000000004267<http://www.ncbi.nlm.nih.gov/pubmed/27428240>
- 86 Malaty HM, Lo GH-W, Hou JK. Characterization and prevalence of spondyloarthritis and peripheral arthritis among patients with inflammatory bowel disease. *Clin Exp Gastroenterol* 2017;10:259–63.10.2147/CEG.S136383<http://www.ncbi.nlm.nih.gov/pubmed/29026327>
- 87 Nguyen GC, Torres EA, Regueiro M, et al. Inflammatory bowel disease characteristics among African Americans, Hispanics, and non-Hispanic Whites: characterization of a large North American cohort. *Am J Gastroenterol* 2006;101:1012–23.10.1111/j.1572-0241.2006.00504.x<http://www.ncbi.nlm.nih.gov/pubmed/16696785>
- 88 Ozdil S, Akyüz F, Pinarbasi B, et al. Ulcerative colitis: analyses of 116 cases (do extraintestinal manifestations effect the time to catch remission?). *Hepatogastroenterology* 2004;51:768–70.<http://www.ncbi.nlm.nih.gov/pubmed/15143912>
- 89 Paparo F, Bacigalupo L, Garelo I, et al. Crohn's disease: prevalence of intestinal and extraintestinal manifestations detected by computed tomography enterography with water enema. *Abdom Imaging* 2012;37:326–37.10.1007/s00261-011-9832-8<http://www.ncbi.nlm.nih.gov/pubmed/22160373>
- 90 Repiso A, Alcántara M, Muñoz-Rosas C, et al. Extraintestinal manifestations of Crohn's disease: prevalence and related factors. *Rev Esp Enferm Dig* 2006;98:510–7.10.4321/s1130-01082006000700004<http://www.ncbi.nlm.nih.gov/pubmed/17022700>
- 91 Shivashankar R, Loftus EV, Tremaine WJ, et al. Incidence of spondyloarthropathy in patients with Crohn's disease: a population-based study. *J Rheumatol* 2012;39:2148–52.10.3899/jrheum.120321<http://www.ncbi.nlm.nih.gov/pubmed/22984277>

- 92 Shivashankar R, Loftus EV, Tremaine WJ, et al. Incidence of Spondyloarthropathyspondyloarthropathy in patients with ulcerative colitis: a population-based study. *J Rheumatol* 2013;40:1153–7.10.3899/jrheum.121029<http://www.ncbi.nlm.nih.gov/pubmed/23678160>
- 93 Singla MB, Eickhoff C, Betteridge J. Extraintestinal manifestations are common in obese patients with Crohn's disease. *Inflamm Bowel Dis* 2017;23:1637–42.10.1097/MIB.0000000000001187<http://www.ncbi.nlm.nih.gov/pubmed/28691941>
- 94 Türeyen A, Kayaçetin E, Naldöken S, et al. The frequency of sacroileitis and ankylosing spondylitis in inflammatory bowel disease and HLA-B27 association. *Turk J Gastroenterol* 2002;13:125–9.<http://www.ncbi.nlm.nih.gov/pubmed/16378292>
- 95 Yamamoto-Furusho JK, Sarmiento-Aguilar A. Joint involvement in Mexican patients with ulcerative colitis: a hospital-based retrospective study. *Clin Rheumatol* 2018;37:677–82.10.1007/s10067-017-3834-z<http://www.ncbi.nlm.nih.gov/pubmed/28914369>
- 96 Yi F, Chen M, Huang M, et al. The trend in newly diagnosed Crohn's disease and extraintestinal manifestations of Crohn's disease in central China: a retrospective study of a single center. *Eur J Gastroenterol Hepatol* 2012;24:1424–9.10.1097/MEG.0b013e3283583e5c<http://www.ncbi.nlm.nih.gov/pubmed/22895389>
- 97 Zippi M, Corrado C, Pica R, et al. Extraintestinal manifestations in a large series of Italian inflammatory bowel disease patients. *World J Gastroenterol* 2014;20:17463–7.10.3748/wjg.v20.i46.17463<http://www.ncbi.nlm.nih.gov/pubmed/25516659>