

T1w/CT	CT+	CT-	Total	SE	1.00	0.80 to 1.00
T1w+	15	12	27	SP	0.43	0.24 to 0.63
T1w-	0	9	9	DA	0.67	0.49 to 0.81
Total	15	21	36	PPV	0.56	0.37 to 0.72
				NPV	1.00	0.70 to 1.00
VIBE/CT						
VIBE+	14	11	25	SP	0.48	0.28 to 0.68
VIBE-	1	10	11	DA	0.67	0.49 to 0.81
Total	15	21	36	PPV	0.56	0.37 to 0.73
				NPV	0.91	0.62 to 1.00
SWI/CT						
SWI+	12	1	13	SP	0.95	0.77 to 1.00
SWI-	3	20	23	DA	0.89	0.74 to 0.97
Total	15	21	36	PPV	0.92	0.67 to 1.00
				NPV	0.87	0.68 to 0.95

Supplementary Table 1: Results of contingency table analysis on per-wrist level. SWI = susceptibility-weighted imaging, VIBE = volumetric interpolated breath-hold examination, T1w = T1-weighted imaging sequence, CT = computed tomography, SE = sensitivity, SP = specificity, DA = diagnostic accuracy, PPV = positive predictive value, NPV = negative predictive value.